

कुमाऊँ विश्वविद्यालय, नैनीताल


पत्रांक:केयू/वि०नियो०/११९८॥॥

दिनांक:- 14-12-2024

निविदा सूचना


अधोलिखित अनुरक्षण/मरम्मत कार्य के लिए विश्वविद्यालय में पंजीकृत ठेकेदारों से दिनांक 28.12.2024 समय मध्याह्न 12:00 बजे तक निविदाएं डाक/दस्ती/कोरियर/ निविदा बॉक्स के माध्यम से आमंत्रित की जाती हैं, जो उसी दिन अपराह्न 1:00 बजे विश्वविद्यालय कार्यालय में खोले जायेंगे। निविदादाता अथवा उनके प्रतिनिधि निविदा खोलते समय उपस्थित रह सकते हैं। निविदा खोलने की तिथि में अवकाश होने पर निविदा अगले कार्य दिवस में खोले जायेंगे। विस्तृत जानकारी एवं निविदा फार्म विश्वविद्यालय की वेबसाइट www.kunainital.ac.in से अपलोड की जा सकती है।

क्र०सं०	कार्य का नाम	अनुमानित लागत	धरोहर राशि	निविदा फार्म मूल्य	कार्य पूर्ण करने की अवधि
1.	प्रशासनिक भवन मल्ला स्लीपी हौलो परिसर स्थित प्रो० आशीष महेता व डॉ० मनीषा त्रिपाठी के आवास में अनुरक्षण कार्य।	रु० 4.84 लाख	रु० 10,000.00	रु० 590.00	40 दिन
2.	जन्तु विज्ञान विभाग में शेड निर्माण एवं चैनलिंग फेसिंग कार्य।	रु० 8.28 लाख	रु० 17,000.00	रु० 1,180.00	40 दिन
3.	भौतिक एवं रसायन विज्ञान विभाग में छत मरम्मत सम्बन्धी विविध कार्य।	रु० 7.24 लाख	रु० 15,000.00	रु० 1,180.00	40 दिन


कुलसचिव

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. निजी सचिव कुलपति को मा० कुलपति जी के अवलोकनार्थ।
2. कम्प्यूटर प्रोग्रामर, कु०वि०वि० को उक्त सूचना विश्वविद्यालय वेबसाइट में अपलोड करने हेतु।
3. विश्वविद्यालय में पंजीकृत ठेकेदारों को ई-मेल के माध्यम से सूचनार्थ प्रेषित।
4. सूचना पट्ट, प्रशासनिक भवन, कुमाऊँ विश्वविद्यालय, नैनीताल।


कुलसचिव

Kumaun University, Nainital

1

Name of work:- Maintenance work of teachers residence (Prof. Ashish Mehta & Dr. Manisha Tripathi at K.U. Nainital.

Date of calling tender- 14.12.2024

Date of opening tender- 28.12.2024

Cost of tender form- Rs 590.00

Earnest- Rs 10,000.00

Time of completion- 40days

Validity of tender- 45 days

S. No.	Item of work	Quantity	Unit	Estimated Rate (Rs.)
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. Ordinary rock	50.40	Rm	129.85
2	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	5.03	Cum	6,812.00
3	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 12.41.2 110 mm diameter	20.00	metre	377.40
4	Constructing masonry Chamber 60x45x50 cm inside. in brick work in cement mortar 1:4 (1 cement : 4 coarse sand) for water meter complete with C.I. double flap surface box 400x200x200 mm (inside) with locking arrangement and RCC top slab 1:1.5:3 mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size), including necessary excavation, foundation concrete 1:5:10 (1 cement : 5 fine sand:10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick, finished with a floating coat of neat cement complete as per standard design : With common burnt clay F.P.S.(non modular) bricks of class designation 7.5	02	No.	9698.55
5	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size" derived from natural sources)	6.60	Cum	7878.50
6	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)	4.38	Cum	9105.95
7	15 mm cement plaster on the rough side of single or half brick wall of mix : 1:6 (1 cement: 6 fine sand)	160.00	Sqm	395.35
8	Cleaning of old chamber & sewer line	01 No.	L.S	9500.00
9	Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound) content less than 50 gram/ litre. of approved brand and manufacturer including applying additional coats wherever required to achieve even shade and colour Old work (one or more coats)	188.66	Sqm	62.70
10	Finishing walls with Acrylic Smooth exterior paint of required shade : Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	181.70	Sqm	120.75
11	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work	356.68	Sqm	102.80
12	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622. of approved brand & manufacturer. in all colours and shade. laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477. in average 6 mm thickness. including grouting of joints (Payment for grouting of joints to be made separately). 11.49.2 Size of Tile 600x600 mm	22.00	Sqm	1725.35
13	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm. including pointing in white cement mixed with pigment of matching shade complete.	50.00	Sqm	1267.95
14	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	01	No.	2226.35
15	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. 15 mm dia nominal bore	20	Meter	366.40

Contd. P-2

16	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade. 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	10.00	Sqm	738.65
17	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete. including painting of fittings and brackets. cutting and making good the walls and floors wherever required ; W.C. pan with ISI marked white solid plastic seat and lid	01	No.	8006.60
18	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part 1) non-decorative type. core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	2.00	Sqm	2392.65
19	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	200.00	Kg	172.60
20	Repair of roof fixing of nut bolt & m seal etc.	1 Job	L.S.	5000.00
21	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	59.00	Sqm	156.05
22	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :	06	No.	506.80
23	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement. including cement slurry. but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate	20.00	Sqm	614.20
24	Constructing masonry Chamber 30x30x50 cm inside, in brick work in cement mortar 1:4 (1 cement :4 coarse sand) for stop cock, with C. I. surface box 100x100 x75 mm (inside) with hinged cover fixed in reinforced cement concrete slab 1:1.5:3 mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size), including necessary excavation, foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size) and inside plastering with cement mortar 1:3 (1 cement : 3 coarse sand) 12 mm thick. finished with a floating coat of neat cement complete as per standard design : With common burnt clay F.P.S.(non modular) bricks of class designation 7.5	01	No.	1992.60

Note- All the work shall be carried out as per P.W.D specification & directed by engineer in charge
I/We tender% below/ above on the given estimated rates.

Sig. of contractor
(with full address)


Registrar


Kumaun University Nainital

Tender form

Name of work- Construction of Tin shade & fencing of the area by chain link fencing Zoology Dept. D.S.B. Campus. Nainital.

Date of Calling tender- 14.12.2024

Cost of tender form- Rs. 1180.00

Time of completion- 40 Days

Date of opening tender - 28.12.2024

Earnest money - Rs. 17,000.00

Validity of tender- 45 Days

S.N.	Item of work	Quantity	Unit	Estimated Rate in Rs
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and lift upto 1.5 m, as directed by Engineer-in-charge. Ordinary rock	3.98	Cum	498.90
2	1 Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	2.81	Cum	7878.50
3	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	724.80	Kg	172.60
4	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes	2273.00	Kg	194.40
5	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 25x25 mm made of G.I. wire of dia 3 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge.	162.00	Sqm	1149.25
6	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :	289.00	Sqm	102.80
7	Fixing of old G.I. sheet & fixing of old G.I. steel with nut bolt & washer & repairing with steel putty of silicon adhesive etc complete all	143.00	Sqm	150.00

Note- All the work shall be carried out as per P.W.D.(D.S.R.) specification and directed by Engineer In charge I/We tender.....% below/above on the given Estimated rates.

Sig. of contractor
(with full address)


Registrar


Kumaun University Nainital

Tender form

Name of work- Repairing painting of old C.G.I sheet & Fixing of New sheet at chemistry & physics Dept. D.S.B. Campus, Nainital.

Date of Calling tender - 14.12.2024

Cost of tender form- Rs. 1180.00

Time of completion- 40 Days

Date of opening tender- 28.12.2024

Earnest money - Rs. 15,000.00

Validity of tender- 45 Days

S.N.	Item of work	Quantity	Unit	Estimated Rate in Rs
1	Refixing of old G.I. sheet with nut bolt & washer & repairing with steel putty or silicon adhesive etc complete all	1101.20	Sqm	100.00
2	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	2203.00	Sqm	25.15
3	Painting on G.S. sheet with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :	2202.40	Sqm	180.85
4	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.63 mm thick with zinc coating not less than 275 gm/ m ²	27.82	Sqm	1087.65
5	Steel work in built up tubular (round, square or rectangular hollow tube etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes	246.83	Kg	194.40
6	15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand)	48.00	Sqm	395.35
7	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	48.00	Sqm	185.65
8	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate	16.00	Sqm	614.20
9	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	1.50	Cum	7878.50
10	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	174.00	Kg	172.60

Note- All the work shall be carried out as per P.W.D.(D.S.R.) specification and directed by Engineer In charge I/We tender.....% below/above on the given Estimated rates.

Sig. of contractor
(with full address)


Registrar
